

## Geld opwaarderen myPrint omgeving

Ga naar https://myprint.wolfert.nl

Gr Wellert van Borvelen		(Nederlands 🖤
	my <b>Print</b>	
	Gebruikersnaam leerlingnummer Wachtwoord Netwerk/Wi-Fi wachtwoord	
	Inloggen	

Vul bij gebruikersnaam je leerlingnummer in (zonder @wolfert.nl) en bij wachtwoord het wachtwoord van het netwerk. Dit is hetzelfde wachtwoord dat je gebruikt om in te loggen op het Wi-Fi netwerk.

Ben je jouw wachtwoord vergeten? Vraag een nieuw wachtwoord aan via dit <u>formulier</u>. Het nieuwe wachtwoord wordt doorgaans binnen 24 uur naar jouw schoolmailadres gestuurd. Het is noodzakelijk dat je dit tijdelijke wachtwoord direct verandert; dit kan op de vaste computers in de mediatheek. Vraag om een computer aan de balie (neem je schoolpas mee!) en log in met het aangemaakte tijdelijk wachtwoord. Zodra je bent ingelogd, druk je op ctrl/alt/del en kies je voor 'wachtwoord wijzigen'. Nu kun je een zelfverzonnen, sterk wachtwoord kiezen. **BELANGRIJK**: geef nooit jouw inloggegevens af, ook niet aan jouw beste vriend(en).



Bij het eerste keer aanmelden krijg je het volgende scherm:

<b>G</b> -Welfert van Borselen	Nederlands 💌
)	» 🦲 » 🚞 » 🖶 myPrint
	Het is een wettelijke verplichting dat een myPrint gebruiker instemt met de voorwaarden. Dit hoeft u slechts eenmaal te doen.
	Ik ga akkoord met de <u>voorwaarden</u>
	Akkoord

Zet het vinkje bij "**Ik ga akkoord met de voorwaarden**" en klik daarna op "**Akkoord**". Er is nu een account aangemaakt voor de myPrint-omgeving.



Je komt nu op je persoonlijke profielpagina.

)) 👝	<b>))</b>	))) <u>RECON</u> ))	) 🖶 r	nv <b>Print</b>
			- 1	
WebPrint Sele	ecteer een bestand om af te d	frukken		
© Kleur	© Enkelzijdig	O Nieten aan	Aantal 1	Afdrukken
* Zwart-wit	a nonestalaið	∞ weten bit		
_			-	
		Printer installeren	U	v persoonlijke muPrint ID
	Inst	alleer Google Cloud printer		
		Tegoed kopen		

Kies hier voor "Tegoed kopen".

De tarieven om te printen zijn als volgt:

A4 zwart-wit kost per vel € 0,01	A4 kleur kost per vel € 0,05
A3 zwart-wit kost per vel € 0,05	A3 kleur kost per vel € 0,20



Nadat je voor "**Tegoed kopen**" hebt gekozen kun je uit 3 bedragen kiezen; kies het gewenste bedrag.





Je komt nu in de omgeving waar je met *iDeal* kan afrekenen; kies je bank en volg de instructies.

ebwinkel:	Wolfert myPr	int			
eschrijving:	64221807				
Details:PrintB	alance				
	Totaal:		5,00	DEUR	
etaalmethoder	::				
PEAD	iDeal				
	_				
		75	ხლე		knab
				लगे को को	
ABN AI	<b>MRO</b>	ASN Bank	Bunq	ING	Knab
1			Regio		\$ <u>*</u> \$
			Bank	<b>W</b>	1737
Rabob	ank	SNS Bank	SNS Regio Bank	Triodos Bank	Van Lanschot Bankiers
					Alle betaalmethoden
					And betaannethouen

#### Let op:

Het geld dat op je profiel wordt gezet is een prepaid tegoed. Zodra je van school gaat kan het prepaid tegoed helaas niet uitgekeerd worden.



# **Printerinstallatie:**

De printer is op alle computers binnen school gekoppeld (mediatheek en computerruimtes). **De printernaam:** 





# Installing MacOS printer drive for myPrint

#### INTRODUCTION

This document describes how an end-user can install and configure the myPrint printer driver on a Mac OS 10.x operating system. myPrint supports following Mac OS X operating systems:

- OS 10.5 Leopard
- OS 10.6 Snow Leopard
- OS 10.7 Lion
- OS 10.8 Mountain Lion
- OS 10.9 Mavericks
- OS 10.10 Yosemite
- OS 10.11 El Capitan
- OS 10.12 Sierra

For all above mentioned Mac operating systems, the myPrint printer driver installation is the same.



# 2 DOWNLOADING THEMPC3502POSTSCRIPT DRIVERFOR MAC

Step 2.1 Determine the OS version:

- Click on the Apple icon
- Choose "About this Mac"
- Read the displayed version



Step 2.2 Navigate to Ricoh's support page: <u>http://ricoh-support.com</u>

Click "Ricoh Office Products Downloads"





Step 2.3

At the search your product; Multifunctional Printers select:

• Aficio MPC3502

Click "Go"

At the Publications select:

- Driversand Software
- Choose your Mac OS X
- Click Download

Support and asserts	am, Rolf Sitter	Afree with EXCELLENCE Deventions I Most Groups	1
hoose your OS Select driver language En	plan -		
Windows			
Mac CS X			
Mac OS X 10.12 (macOS Sen	n)		
PPD Installer , Download (File Size : 2,159 K3)	Ver.2.2.0. Released Date: 17/99/2014 This PPD installer is used to instal is PPD (Postori file on Mac OSX. PPD Nes contain descriptions of is poper size, nother of input types and dublesing isotalistic on the solution used the DPD installer that Heating	pt. Proter Description) printer capabilities such 5 denieur fluid roomae BRI denieur fluid roomae	
Mac 05 X 10.11 (05 X E) Cap	tar)		
Mac Co X 10.10 (Co X 10sen	(m)		

#### Step 2.4

After downloading select the corresponding Mac OS 10.X PPD | installer by clicking the icon that holds the Hard Disk icon in this sample: (Ricoh\_PS\_Printers\_Vol1\_EXP\_LIO\_2.2. 0.0.dmg):





Step 2.5

Double-click the pkg driver package in this sample: (Ricoh\_PS\_Printers\_Vol1\_EXP\_LIO\_Dri ver.pkg):









Step 2.7 Select Continue:



Step 2.8 Agree with the terms of the software license agreement:





Step 2.9 Click Install:

0 0	Install Ricoh_PS_Printers_Vol1_EXP_LIO Driver
	Standard Install on "macOS Sierra Final by TechReviews"
<ul> <li>Introduction</li> <li>License</li> <li>Destination Select</li> <li>Installation Type</li> <li>Installation</li> <li>Summary</li> </ul>	This will take 6,5 MB of space on your computer. Click Install to perform a standard installation of this software on the disk "macOS Sierra Final by TechReviews".
	Change Install Location Go Back Install



Installing Rico	h_PS_Printers_Vol1_EXP_LIO Driver
Introduction License Destination S Installation T Installation Summary User Nam Passwor	is trying to install new software. Type sword to allow this. ne: Sierra user cd: ••••••• Cancel Install Software
-	Go Back Continue







## Step 2.12 After successful installation: click "Close": The Ricoh driver package is now installed.





## **3 CONFIGURINGCUPS**

CUPS is a modular printing system for Unix-like computer operating systems which allows a computer to act as a print server. A computer running CUPS is a host that can accept print jobs from client computers, process them, and send them to the appropriate printer". (source: adapted from Wikipedia)

Step 3.1 Start System preferences:



Step 3.2 Select Print & Scan. The printer dialogue screen opens





Step 3.3 Click "+" in the lower-left corner to add a printer:



Step 3.4 Right-click the toolbar (next to the Windows Printer) and select Customize Toolbar:

	Q Sear	ch
ault IP Windows Name	✓ Icon and Text Icon Only Text Only	^ Kind
	Use Small Size	
	Customize Toolbar	
Name:		
Name: Location:		
Name: Location: Use:		\$



Step 3.5 Drag and drop "Advanced" to the Toolbar and click "Done":

Default P Windows Advanced	Q, Search Search	
Drag your favorite items into the to	olbar Default Search Space	Flexible Space
Default IP Windows	Q Search Search	
Show Icon and Text 📴 🗌 Ut	e small size	Done
Use:		0
		Add



## **4 ADDING AN IPP PRINTER**

Step 4.1 The Ricoh myPrint internet address:

https://myprint.wolfert.nl/printers/myPrint/.printer

Step 4.2 Click "Advanced":

. 🛞	🚔 😳 🗌		Q, Search	
it IP 1	Windows Advanced		Search	
Type:	Backend Error Handle	BI .		
Device:	Another Device			
URL:	beh://			
Name:				
Name: Location:				
Name: Location: Use:	Choose a Driver			
Name: Location: Use:	Choose a Driver			
Name: Location: Use:	Choose a Driver			

Step 4.3 Click "Type" and choose "Internet Printing Protocol (https)":





Step 4.4 Type the printer's internet Address in the URL box: https://myprint.wolfert.nl/printers/myPrint/.printer

• •		Add
요 😡		Q, Search
Default IP	Windows Advanced	Search
Type:	Internet Printing P	rotocol (https)
Device:	Another Device	
URL:	https://myprint	.wolfert.nl/printers/myPrint/.printer
Name	: www.ricohmyprin	it.nl
Location	:	
Use	Choose a Driver.	
		Add

Step 4.5 Click "Choose a Driver or Printer Model". Then click "Select Printer Software:

		Add	
6	- (O)	Q. Search	
ut IP	Windows Advanced	Search	
Type:	Internet Printing Protoco	ol (https)	0
Device:	Another Device		0
URL:	https://myprint.wol	fert.nVprinters/mvPri	nt/.printer
Name:	www.ricohmyprint.nl		
Name: Location:	www.ricohmyprint.nl		
Name: Location: Use	www.ricohmyprint.nl		
Name: Location: Use	www.ricohmyprint.nl Choose a Driver Auto Select		
Name: Location: Use	www.ricohmyprint.nl Choose a Driver Auto Select Generic PostScript Pri Generic PCL Printer	nter	
Name: Location: Use	www.ricohmyprint.nl Choose a Driver Auto Select Generic PostScript Pri Generic PCL Printer Select Software	nter	



Step 4.6 Start typing "MP C35....." in the finder box. Select "Ricoh Aficio MP C3502 PS" and select "OK":

000	Pi	rinter Software	
		Q MP C35	0
RICOH Aficio MP	C3500 PS		1
RICOH Aficio MP	C3501 PS		
RICOH Aficio MP	C3502 PS		
		Cancel	OK
		Caricer	

Step4.7 Click "Add":

• •				Add			
<u>Q</u> (		<b>_</b>	- SOF	Q :	Search		
Default I	IP	Windows	Advanced		Search		
Ту	pe:	Interne	t Printing I	Protocol (https)		<b></b>	
Devi	ice:	Anothe	r Device			\$	
U	RL:	https://v	www.ricoh	myprint.nl/printers/mypr	int/.printer		
N	ame	: www.r	icohmypri	nt.nl			
Loca	ation	:					
	Use	: RICO	H Aficio M	P C3502 PS		0	
						Add	

Step 4.8

Configure printer options. Recommended settings are: Optiontray LowerPaperTrays Large Capacity Tray Installed

Internal Tray 2 Installed Internal Shift Tray Not installed External Tray Not Installed Finisher SR3070



Step4.9 Click "OK"

A	dd
요 @ 들 ! · · · · · ·	Q. Search
Default IP Windows Advanced	Search
Setting up 'www.ricohi Make sure your printer's o can take full advantage of	myprint.nl' pptions are accurately shown here so you them.
Option Tray:	Lower Paper Trays ᅌ
Large Capacity Tray:	Installed
Internal Tray 2:	Installed
Internal Shift Tray:	Not Installed
External Tray:	Not Installed
Finisher:	Finisher SR3070
1	
	>
	Cancel
1	Add

The myPrint IPP printer is installed





## **5 CONFIGURINGMYPRINT ID**

To recognise the job owner when printing from unknown devices a myPrint ID needs to be placed in the printer driver as a user ID.

Step 5.1

Open the myPrint website and login with your username and password. <u>Https://myprint.wolfert.nl</u>

Copy the myPrint ID (click on the pointing hand if not visible):



Step 5.2 Select "File" followed by "Print":







Printer.	www.riconmyprint.ni		
Copies:	🗋 🗘 🗹 Two-Sid	led	
Pages:	All 😂		
		17401.04	
	Plat Gare		
	Parties and the second		
	Series Ser Ser		
	<b>+</b>	e e	
	late sector restar		
	( <u></u> )		
	1 of 1	2 22	
	Show Dataila	Cancol	Brint

Step 5.4 Select "Job Log":





Step 5.5 Paste the myPrint ID in the User ID box:

Image: Section of the section of th		Printer: www.ricohmyprint.nl
Copies: 1 Two-Sided Page: All Paper Size: A4	HECON MARKET CONTRACTOR (SEC.	Presets: Default Settings
Pages:  All  Page Size:  A  Page Siz	myPrint	Copies: 1 Vo-Sided
Image: Second	80	Pages: O All
Paper Size: A4 © 210 by 297 mm Orientation: Do Log © User ID: SAbeXT3 Job Type: Normal Print © File Name: Password: Enable User Code User Code User Code Time: Time: Time: Time:		O From: 1 to: 1
Orientation:       Image: Code         Job Log       Image: Code         Job Type:       Normal Print         Job Type:       Normal Print         Image: Code       Image: Code         Image: Code       Image: Code     <		Paper Size: A4 210 by 297 mm
Job Log User ID: SAbeXT3 Job Type: Normal Print Password: Enable User Code User Code User Code User Code User Code Constraint Time Time Time		Orientation:
User ID: SAbeXT3 Job Type: Normal Print © File Name: Password: Enable User Code User Code User Code User Code		Job Log
Job Type: Normal Print C File Name: Password: Enable User Code User Code User Code User Code User Code Control Time Time: 00:00		United In Contraction
Sourtype:     Normal Print       Iof1     File Name:       Password:     Enable User Code       User Code:     Set Print Time       Time:     00:00	No. of Concession, Name	Inh Tunni Narmal Brint
Password: Enable User Code User Code: Set Print Time Time: 00:00		
Password: Enable User Code User Code: Set Print Time Time: 00:00		File Name:
User Code User Code User Code Set Print Time Time: 00:00		Password:
User Code: Set Print Time Time: 00:00		Enable User Code
Time 00:00		User Code:
		Time: 00.00
		une. 00:00
	2 PDE Hide Details	Cancel
2 PDF - Hide Details Cancel Print		ouncer inter

Step 5.6 Select "Save Current Settings as Preset..." from the preset drop downbox:





Step 5.7 Type in a Preset Name, e.g. "myPrint" and click "OK":

Preset Name: Preset Available For:	myPrint Only this printer All printers			≎ set ≎
		Cancel	ОК	
	Paper Size:	A4		210 by 297 mm
	Orientation:		Scale:	100%
		Job Log	CAL-VT2	0
and a second second second		Job Type:	Normal Print	0
🥶 🤇 10f1 🔿 🚿		File Name:		
		Password:	Enable User	Code
		User Code:		oode
			Set Print Tim	ie
		Time:	00:00	0
? PDF V Hide Details				Cancel Print

Step 5.8 Make a test print by clicking "Print":





#### Google Cloud Printing (GCP)

Met myPrint heeft u de mogelijkheid om 'Google Cloud Printing' (GCP) te gebruiken. Dit is handig wanneer u op een systeem werkt dat zelf niet is aangesloten op een printer.

CHAnge.		Welcome username@c	Iomain Uw tegoed is € 0,00 Nederland
WebPrint Self	ecteer een bestand om af te o ● Enkelzijdig ○ Dubbelzijdig	∩Nieten aan ● Nieten uit	Aantal 1 Afdrukken
	_		
	Insta	Printer installeren Illeer Google Cloud printer Tegged konen	Uw persoonlijke myPrint ID

## Stappen

- 1. Installeer een Google Cloud printer. Ga naar de Home page <u>https://myprint.wolfert.nl</u> login met jou netwerk (Wi-Fi) gegevens en klik op de knop 'Installeer Google Cloud printer'.
- 2. Zet tijdelijk de 'Pop-up blocker' van uw PC uit. Deze zou de Google Cloud Printing dialoog kunnen blokkeren.
- 3. Met de dialoog die nu start, creëert u een 'myPrint cloud printer'.
- 4. Google Cloud printer is nu gereed voor gebruik in elke Google applicatie: Google Docs, Google for Education, Google for Business etc.

# EENMALIGE PASREGISTRATIE OP MFP (via de printer in de mediatheek)



Je bent nu aangemeld als gebruiker en kunt gebruik maken van alle MFP's om te printen, kopiëren en scannen. Bij een volgend gebruik van een MFP hoef je deze procedure niet nogmaals te doorlopen.

Wanneer je jouw huidige pas bent vergeten of kwijt bent, dien je deze procedure met de tijdelijke of nieuwe pas nogmaals uit te voeren.



Voor Toner en bij storingen neemt u contact op met **Ricoh** Gebruik hiervoor **eService** zie: *www.ricoh.nl* 



## Inloggen



Stap 6: Druk in het volgende scherm op de toets "Inloggen" <sup>(6)</sup>.

Na registratie verschijnt onderstaand scherm.

Follow-You P	rinting	@quitrac Print & Copy Control	Rese	etten	
Afdrukken	💾 14:09 Microsoft Outlook - Memo Style		1	2	3
Printen en	🕒 14:11 Microsoft Outlook - Memo Style			5	6
ops taan	h 14:11 23062117_2.pdf		4	2	0
Verwi Joeren	http://www.com/comment/action/comment/		7	8	9
selecteren	🕒 15:02 Microsoft Outlook - Memo Style	A descent for a			#
Sernieuwen 🔄	🛅 15:02 Microsoft Outlook - Memo Style	0 document(en) 0 pagina('s)		U	#
Forceer Z/W	🕒 15:02 Microsoft Outlook - Memo Style		C		
	1/2	⊾ Kopieën:1	_		
Uitloggen	Launcher				
Herroepen/Progr.	/Progr. wijzigen	🗆 Eenv. scherm			
Status contro	eren 🕤 🖄	=	$\bigcirc$	Stopp	en

Indien je een print hebt gestuurd zal deze in dit scherm zichtbaar zijn.

Vergeet niet om uit te loggen wanneer je klaar bent op het systeem. Haal hiervoor je pas nogmaals over de paslezer.

